

MultiPress Lookup

Description

Use Enfocus Switch to communicate with your MultiPress Server to get all the info you need for order processing.

MultiPress Lookup offers you the ability to retrieve:

- Order info with order status and single or full subjob information.
- Customer information.
- Standard quotations.
- Bufferline process information.
- Post calculation info

Compatibility

Switch version 17 update 2 and up

Platform: Windows & Mac.

MultiPress 4.x with the MultiPress Connector module enabled! If you do not have this module yet, please contact your MultiPress reseller or MultiPress directly.

Connections

MultiPress Lookup must at least have one input connection and two output connections: one Data Success out and one Data Error out. Each can be configured by right clicking the line and selecting Data or Log at the 'Carry this type of jobs' in the Properties pane. Or just use your right mouse button on the lines themselves.

Settings

30	Properties
Property	Value
Name	Multipress Lookup bufferLine
Description	
Server ip address	192.168.1.1
Server ip portnumber	8090
Multipress retry interval in	10
Time to expire in hours	4
Username	soap
Password	***
Choose Multipress function	getBufferline
bufferLineID	9452

Server ip address	MultiPress server ip address.
	Text field
Server ip portnumber	MultiPress server portnumber (e.g. 8080 or 8090).
	Integer field
MultiPress retry interval in minutes	When the MultiPress server is offline, the app will retry to get information after x minutes.
	Integer field
Time to expire in hours	The app will keep trying every x minutes to connect to the MultiPress server. After x hours the app wil stop trying and sends the job to the error connection.
	Integer field
MultiPress connector module username	The username configured in the MultiPress connector module.
	Text field

MultiPress connector password	The password configured in the MultiPress connector module.
	Password field
Choose MultiPress function	Choose between: getBufferline, getOrderInfo, getCustomer, getQuotation
	Dropdown box
getBufferline > MultiPress bufferline id	This is the bufferline id the order gets when it's injected in MultiPress's internet buffer.
	Integer field or get it from a dataset or xml
getOrderInfo > Order number	MultiPress order number
	Integer field or get it from a dataset or xml
getOrderInfo > Orderline	Retrieve all suborders/order lines or get only one suborder. This number gets the first, second, third, etc. order line from the order. If you want the first order line, just enter '1', if you want the second then enter '2', etc.
	Integer field or get it from a dataset or xml
getOrderInfo > Rename job	Rename job to order number with additional parameters.
	Dropdown box
getCustomer > Customer number	MultiPress customer number
	Integer field or get it from a dataset or xml
getCustomer > Info type	Type of info, choose between: brief, delivery or financial
	Dropdown box
getPostCalculation-> Order number	MultiPress order number

Function: getBufferline

When injecting an order into MultiPress, MultiPress returns a bufferline id. getBufferline retrieves the bufferline information and waits until the bufferline is processed into an order. It then creates a dataset called 'bufferLine' with the MultiPress order number.

Function: getOrderInfo

Retrieves all order information from MultiPress, including the order status and suborders. Only needs the order number to function.

Function: getCustomer


Retrieves customer information, based on the customer number in MultiPress. You can choose from brief, delivery or financial customer information.

Function: getQuotation

Retrieves standard quotation information from MultiPress. It only needs the quotation number.

Function: getPostCalculation

Retrieves the post calculation information, which holds operations, materials, subcontractors and some job information.



Changelog

[version 5 - 2019-05-02]

Added

- getPostCalculation function for retrieving post calculation information (nacalculatie informatie)

[version 3 - 2018-11-06]

Added

- Orderline property to retrieve an order with only one single suborder or all suborders
- Rename job property to rename job to jobnumber with additional parameters

[version 2 – 2018-02-06]

Added

- Added 'Single line text with variables' option on all properties

Changed

- Default value on Info type set toe 'brief'