



PLC 2439

Release notes



Contents

What's new:	3
Transactions Logging	3
Success/Warning/Errors folders	3



What's new:

Transactions Logging

There is now a new endpoint: "/transactions" that you can call to get info on your ongoing transactions consumption (no transactions counted).

When calling the /transaction endpoint, you get back the following JSON info:

```
{
  "name": "PLC",
  "org": {your company name as set in the Cloud Account},
  "version": {your PLC version},
  "apNumber": {your ap-number} //so that there is no possible confusion,
  "usedTransactions": {the current number of used transactions, ex: 24156},
  "transactionsTreshold": {the current level of allowed transactions, ex: 100000}
}
```

This will allow you to check at any time where you are in terms of transactions' usage.

Success/Warning/Errors folders

It's now possible to route files based on the preflight status. For example, preflight reports or processed documents can then be written in specific folders.

For that, a series of new parameters can be used such as "outputFixedFileOnSuccessURL", "outputFixedFileOnWarningURL" or "outputFixedFileOnErrorURL" for routing the processed documents.

You can as well use "reportURLs/JSONOnSuccess", "reportURLs/JSONOnWarning" and "reportURLs/JSONOnError" to route JSON reports. Similar properties can be found for PDF and XML reports.

Have a look at the documentation for more details.



Example of a request using different locations for processed PDF and Reports:

```
{
  "reference": "1234567890",
  "inputFileURL": "/root/input/6555466.pdf",
  "profileURL": "/root/assets/01_checking_covers_format.ppp",
  "variableSetURL": "/root/variables/6555466.evs",

  "outputFixedFileOnSuccessURL": "/root/output/6555466_preflighted_success.pdf",
  "outputFixedFileOnWarningURL": "/root/output/6555466_preflighted_warnings.pdf",
  "outputFixedFileOnErrorURL": "/root/output/6555466_preflighted_errors.pdf",
  "reportURLs": {
    "JSON": "/logs/6555466_report.json",
    "PDFOnSuccess": "/output/success/6555466_report.pdf",
    "PDFonWarning": "/output/warning/6555466_report.pdf",
    "PDFonError": "/output/error/6555466_report.pdf"
  },

  "reportTemplate": {
    "configFileURL": "/root/templates/Default/PitStopReportDefault.prefs",
    "templateFileURL": "/root/templates/Default/PitStopReportDefault.pdf"
  }
}
```

Note that this is optional and it's still perfectly valid to keep on using the usual parameters such as "outputFixedFileURL" for the processed PDF or the different report settings ("JSON", "PDF" ...). However, if you do use the "...OnSuccess", "...OnWarnings" and "...OnError" parameters, they will take precedence over the usual parameters.